

- 1. TRENCH WIDTH SHALL BE O.D. + 12" MINIMUM, OR O.D. + 20" MAXIMUM, INCLUDING THICKNESS OF TRENCH SHORING OR SHEETING.
- 2. BACKFILL SHALL BE PER STANDARD SPECIFICATIONS SECTION 306-1.3, EXCEPT THAT RELATIVE COMPACTION SHALL BE 90 PERCENT MINIMUM.
- 3. WHEN THE MAXIMUM TRENCH WIDTH IS EXCEEDED, THE CONSTRACTOR SHALL SUBMIT TO THE ENGINEER FOR APPROVAL, DRAWINGS WITH SUBSTANTIATING ENGINEERING CALCULATIONS FOR THOSE MODIFICATIONS OF PIPE STRENGTH AND/OR BEDDING WHICH WILL PROVIDE AN IN-PLACE FACTOR OF SAFETY EQUIVALENT TO THAT PROVIDED IN THE CONTRACT.
- 4. BEDDING SHALL BE PER STANDARD SPECIFICATIONS SECTION 306-1.2.1, EXCEPT THAT:
 - (A.) CLASS 100-E-100 SLURRY MAY BE SUBSTITUTED FOR SHAPED BEDDING AT THE CONTRACTOR'S OPTION AND SOLE EXPENSE.
 - (B.) HAUNCH BEDDING SHALL BE HAND TAMPED TO 90% RELATIVE COMPACTION MINIMUM FOR PVC, RPM, HDPE, AND ALL OTHER FLEXIBLE PIPE INSTALLATIONS. WHEREUPON THE REMAINDER OF BEDDING (ABOVE SPRINGLINE) MAY BE COMPACTED CONCURRENTLY WITH THE BACKFILL.
- 5. TRENCH RESURFACING SHALL BE PER STD.-105-L.

REVISED 6/2002

