## City of **NEWPORT BEACH** Municipal Operations Department



# Your 2011 Water Quality Report


### **Drinking Water Quality**

**S** ince 1990, California public water utilities have been providing an annual Water Quality Report to their customers. This year's report covers calendar year 2010 drinking water quality testing and reporting. Your City of Newport Beach Municipal Operations Department vigilantly safeguards its water supply and, as in years past, the water delivered to your home meets the quality standards required by federal and state regulatory agencies. The U.S. Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) are the agencies responsible for establishing and enforcing drinking water quality standards.

In some cases, the City goes beyond what is required by testing for unregulated chemicals that may have known health risks but do not have drinking water standards. For example, the Orange County Water District (OCWD), which manages the groundwater basin, and the Metropolitan Water District of Southern California (MWDSC), which supplies imported treated surface water to the City, test for unregulated chemicals in our water supply. Unregulated chemical monitoring helps USEPA and CDPH determine where certain chemicals occur and whether new standards need to be established for those chemicals.

Through drinking water quality testing programs carried out by OCWD for groundwater, MWDSC for treated surface water and the Newport Beach Municipal Operations Department for the distribution system, your drinking water is constantly monitored from source to tap for regulated and unregulated constituents.

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.



Imported water for Orange County comes from hundreds of miles away, across deserts and over mountains, carried here by two engineering marvels – the Colorado River Aqueduct and the State Water Project. Shown here, millions of gallons per minute are lifted over the Tehachapi Mountains, on its way to southern California.

# What You Need to Know About Your Water, and How it May Affect You

### **Sources of Supply**

Orange County's water supplies are a blend of groundwater managed by OCWD and water imported from Northern California and the Colorado River by the Municipal Water District of Orange County (MWDOC) via the MWDSC. Groundwater comes from a natural underground aquifer that is replenished with water from the Santa Ana River, local rainfall and imported water. The groundwater basin is 350 square miles and lies beneath north and central Orange County from Irvine to the Los Angeles border and from Yorba Linda to the Pacific Ocean. More than 20 cities and retail water districts draw from the basin to provide water to homes and businesses.

### **Orange County's Water Future**

For years, Orange County has enjoyed an abundant, seemingly endless supply of high-quality water. However, as water demand continues to increase statewide, we must be even more conscientious about our water supply and maximize the efficient use of this precious natural resource.

OCWD and MWDOC work cooperatively to evaluate new and innovative water management and supply development programs, including water reuse and recycling, wetlands expansion, recharge facility construction, ocean and brackish water desalination, surface storage and water use efficiency programs. These efforts are helping to enhance long-term countywide water reliability and water quality.

A healthy water future for Orange County rests on finding and developing new water supplies, as well as protecting and improving the quality of the water that we have today.

For information about this report or your  $\square$ water quality information in general, please Questions contact Gary Tegel, Water Quality Coordinator, at about (949) 718-3412. The City of Newport Beach vour Council meetings begin at 7:00 p.m. on the second water? and fourth Tuesday of each month and are open to Contact the public. Meetings are held at the Council us for Chambers located at 3300 Newport Boulevard, answers. Newport Beach. Matters from the public are heard at each meeting. Please feel free to participate in 5 these meetings.

For more information about the health effects of the listed contaminants in the following tables, call the U.S. Environmental Protection Agency hotline at (800) 426-4791.

### How Residential Water is Used in Orange County

Outdoor watering of lawns and gardens makes up approximately 60% of home water use. By cutting your outdoor watering by 1 or 2 days a week, you can dramatically reduce your overall water use.

Visit www.bewaterwise.com for water saving tips and ideas for your home and business.

Your local and regional water agencies are committed to making the necessary investments today in new water management projects to ensure an abundant and high-quality water supply for our future.

Showers & Baths: 8% Toilets: 11%

Clothes Washers: 9% Dishwashers: 1% Faucets: 6%

### **Basic Information About Drinking Water Contaminants**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the layers of the ground it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.



- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production or mining activities.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.

In order to ensure that tap water is safe to drink, USEPA and the CDPH prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.

### **Immuno-Compromised People**

S ome people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer who are undergoing chemotherapy, persons who have had organ transplants, people



with HIV/AIDS or other immune system disorders, some elderly persons and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

The USEPA and the federal Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from USEPA's Safe Drinking Water Hotline at (800) 426-4791 between 9 a.m. and 5 p.m. Eastern Time (6 a.m. to 2 p.m. in California).



Lake Oroville: 80%



Landscaping: 58%

O Leaks: 7%

# The Quality of Your Water is Our Primary Concern

### Disinfection and Disinfection Byproducts

Disinfection of drinking water was one of the major public health advances in the 20th century. Disinfection was a major factor in reducing waterborne disease epidemics caused by pathogenic bacteria and viruses, and it remains an essential part of drinking water treatment today.

Chlorine disinfection has almost completely elimi-

nated from our lives the risks of microbial waterborne diseases. Chlorine is added to your drinking water at the source of supply (groundwater well or surface water treatment plant). Enough chlorine is added so that it does not completely dissipate through the distribution system pipes. This "residual" chlorine helps to prevent the growth of bacteria in the pipes that carry drinking water from the source into your home.

However, chlorine can react with naturally-occurring materials in the water to form unintended chemical byproducts, called disinfection byproducts (DBPs), which may pose health risks. A major challenge is how

### What are Water Quality Standards?

Drinking water standards established by USEPA and CDPH set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards: Maximum Contaminant Level (MCL): The highest level

- of a contaminant cover (NCL): The ingless level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- Primary Drinking Water Standard: MCLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- Regulatory Action Level (AL): The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

#### How are Contaminants Measured? Water is sampled and tested throughout the year.

Contaminants are measured in:

- parts per million (ppm) or milligrams per liter (mg/L)
- parts per billion (ppb) or micrograms per liter ( $\mu$ g/L)

parts per trillion (ppt) or nanograms per liter (ng/L)

#### What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and CDPH have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no harms are strengther below that the MCLG set by USEDA.
- known or expected risk to health. MCLGs are set by USEPA. Maximum Residual Disinfectant Level Goal (MRDLG):
- The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

to balance the risks from microbial pathogens and DBPs. It is important to provide protection from these microbial pathogens while simultaneously ensuring decreasing health risks from disinfection byproducts. The Safe Drinking Water Act requires the USEPA to develop rules to achieve these goals.

Trihalomethanes (THMs) and Haloacetic Acids (HAAs) are the most common and most studied DBPs found in drinking water treated with chlorine. In 1979, the USEPA set the maximum amount of total THMs allowed in drinking water at 100 parts per billion as an annual running average. Effective in January 2002, the Stage 1 Disinfectants / Disinfection Byproducts Rule lowered the total THM maximum annual average level to 80 parts per billion and added HAAs to the list of regulated chemicals in drinking water. Your drinking water complies with the Stage 1 Disinfectants / Disinfection Byproducts Rule.

Stage 2 of the regulation was finalized by USEPA in 2006, which further controls allowable levels of DBPs in drinking water without compromising disinfection itself. A required distribution system evaluation was completed in 2008 and a Stage 2 monitoring plan is being drafted for CDPH review. Full Stage 2 compliance is required beginning in 2012.

### About Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Newport Beach

| Chemical                                      | MCL           | PHG<br>(MCLG) | Average<br>Amount | Range of<br>Detections | MCL<br>Violation? | Most Recent<br>Sampling Date | Typical Source<br>of Contaminant |
|---|---------------|---------------|-------------------|------------------------|-------------------|------------------------------|----------------------------------|
| Radiologicals                                 |               |               |                   |                        |                   |                              |                                  |
| Uranium (pCi/L)                               | 20            | 0.43          | 6.9               | 1.8 – 12               | No                | 2009                         | Erosion of Natural Deposits      |
| Inorganic Chemicals                           |               |               |                   |                        |                   |                              |                                  |
| Arsenic (ppb)                                 | 10            | 0.004         | <2                | ND – 2.6               | No                | 2009                         | Erosion of Natural Deposits      |
| Barium (ppm)                                  | 1             | 2             | <0.1              | ND - 0.11              | No                | 2009                         | Erosion of Natural Deposits      |
| luoride (ppm)                                 | 2             | 1             | 0.36              | 0.33 - 0.43            | No                | 2009                         | Erosion of Natural Deposits      |
| Vitrate (ppm as NO <sub>3</sub> )             | 45            | 45            | 6.4               | ND - 14                | No                | 2010                         | Fertilizers, Septic Tanks        |
| Nitrate+Nitrite (ppm as N)                    | 10            | 10            | 1.5               | ND – 3.2               | No                | 2010                         | Fertilizers, Septic Tanks        |
| Secondary Standards*                          |               |               |                   |                        |                   |                              |                                  |
| Chloride (ppm)                                | 500*          | n/a           | 55                | 28 - 84                | No                | 2010                         | Erosion of Natural Deposits      |
| pecific Conductance (µmho/cm)                 | 1,600*        | n/a           | 702               | 430 - 983              | No                | 2010                         | Erosion of Natural Deposits      |
| Sulfate (ppm)                                 | 500*          | n/a           | 114               | 45 – 182               | No                | 2010                         | Erosion of Natural Deposits      |
| Total Dissolved Solids (ppm)                  | 1000*         | n/a           | 441               | 224 - 652              | No                | 2010                         | Erosion of Natural Deposits      |
| urbidity (ntu)                                | 5*            | n/a           | 0.1               | ND - 0.2               | No                | 2009                         | Erosion of Natural Deposits      |
| <b>Jnregulated Contaminants</b>               | s Requiring M | onitoring     |                   |                        |                   |                              |                                  |
| Alkalinity, total (ppm as CaCO <sub>3</sub> ) | Not Regulated | n/a           | 170               | 124 – 232              | n/a               | 2010                         | Erosion of Natural Deposits      |
| Bicarbonate (ppm as HCO3)                     | Not Regulated | n/a           | 215               | 152 – 283              | n/a               | 2009                         | Erosion of Natural Deposits      |
| Boron (ppb)                                   | Not Regulated | n/a           | <100              | ND - 120               | n/a               | 2010                         | Erosion of Natural Deposits      |
| Calcium (ppm)                                 | Not Regulated | n/a           | 78                | 34 - 130               | n/a               | 2010                         | Erosion of Natural Deposits      |
| Hardness, total (ppm as CaCO <sub>3</sub> )   | Not Regulated | n/a           | 246               | 101 - 417              | n/a               | 2010                         | Erosion of Natural Deposits      |
| /lagnesium (ppm)                              | Not Regulated | n/a           | 12                | 3.8 - 22               | n/a               | 2010                         | Erosion of Natural Deposits      |
| oH (units)                                    | Not Regulated | n/a           | 7.9               | 7.8 – 8.1              | n/a               | 2010                         | Acidity, Hydrogen Ions           |
| Potassium (ppm)                               | Not Regulated | n/a           | 3.2               | 2.3 – 4.1              | n/a               | 2010                         | Erosion of Natural Deposits      |
| Sodium (ppm)                                  | Not Regulated | n/a           | 54                | 51 – 58                | n/a               | 2010                         | Erosion of Natural Deposits      |
| Vanadium (ppb)                                | Not Regulated | n/a           | <3                | ND – 3.7               | n/a               | 2009                         | Erosion of Natural Deposits      |

ppb = parts-per-billion; ppm = parts-per-million; pC/L = picoCurres per lite; ntu = nepnelometric turbidity unit; ND = not detected; n/a = not applicable; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Healtl µmho/cm = micromho per centimeter \*Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

| 2010 City of Newport Beach Distribution System Water Quality |                     |                   |                        |                   |                                     |  |  |  |
|--|---------------------|-------------------|------------------------|-------------------|-------------------------------------|--|--|--|
| Disinfection<br>Byproducts                                   | MCL<br>(MRDL/MRDLG) | Average<br>Amount | Range of<br>Detections | MCL<br>Violation? | Typical Source<br>of Contaminant    |  |  |  |
| Total Trihalomethanes (ppb)                                  | 80                  | 29                | 2.6 - 110              | No                | Byproducts of chlorine disinfection |  |  |  |
| Haloacetic Acids (ppb)                                       | 60                  | 7.4               | ND – 21                | No                | Byproducts of chlorine disinfection |  |  |  |
| Chlorine Residual (ppm)                                      | (4 / 4)             | 1.8               | 0.2 - 3.1              | No                | Disinfectant added for treatment    |  |  |  |
| Aesthetic Quality  |                     |                   |                        |                   |                                     |  |  |  |
| Color (color units)  | 15*                 | <1                | ND – 5                 | No                | Erosion of natural deposits         |  |  |  |
| Odor (threshold odor number)                                 | 3*                  | <1                | ND – 3                 | No                | Erosion of natural deposits         |  |  |  |
| Turbidity (ntu)  | 5*                  | 0.03              | ND – 1.2               | No                | Erosion of natural deposits         |  |  |  |

Twelve locations in the distribution system are tested quarterly for total trihalomethanes and haloacetic acids; thirty locations are tested monthly for color, odor and turbidity. **MRDL** = Maximum Residual Disinfectant Level; **MRDLG** = Maximum Residual Disinfectant Level Goal ; **ntu** = nephelometric turbidity units; **ND** = not detected; < = detected but average is less than the reporting limit = "contaminant is regulated by a secondary standard.

| Bacterial Quality  | MCL | MCLG | Highest Monthly<br>Positive Samples | MCL<br>Violation? | Typical Source<br>of Contaminant     |  |  |  |
|--|-----|------|-------------------------------------|-------------------|--------------------------------------|--|--|--|
| Total Coliform Bacteria  | 5%  | 0    | 0.8%                                | No                | Naturally Present in the Environment |  |  |  |
| No more than E9/ of the mentally camples may be pacified for total californ basteria |     |      |                                     |                   |                                      |  |  |  |

The occurrence of 2 consecutive total coliform positive samples, one of which contains fecal coliform/*E*. *coli*, constitutes an acute MCL violation.

|              | Lead and Copper Action Levels at Residential Taps |                |                          |   |                  |                                  |  |  |  |
|--------------|---|----------------|--------------------------|---|------------------|----------------------------------|--|--|--|
|              | Action Level<br>(AL)                              | Health<br>Goal | 90th Percentile<br>Value | Sites Exceeding AL /<br>Number of Sites | AL<br>Violation? | Typical Source<br>of Contaminant |  |  |  |
| Copper (ppm) | 1.3   | 0.3            | 0.23                     | 0 / 30                                  | No               | Corrosion of household plumbing  |  |  |  |
| Lead (ppb)   | 15  | 0.2            | 5.0                      | 0 / 30                                  | No               | Corrosion of household plumbing  |  |  |  |
|              |   |                |                          |   |                  |                                  |  |  |  |

Every three years, 30 residences are tested for lead and copper at-the-tap. The most recent set of samples was collected in 2009. Lead was detected in 3 homes; none exceeded the regulatory Action Level (AL). Copper was detected in 15 homes; none exceeded the AL

Lead was detected in 3 homes; none exceeded the regulatory Action Level (AL). Copper was detected in 15 homes; none exceeded the AL. A regulatory action level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow. Municipal Operations Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to

2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: www.epa.gov/safewater/lead.

### 1,4-Dioxane

1.4-Dioxane is a chemical contaminant primarily used as an industrial stabilizer to enhance performance of solvents in many manufacturing processes. It is found in foods (shrimp, chicken, tomatoes, etc.) and food additives and ordinary household products (cosmetics, deodorants and shampoo's). The USEPA has classified

1,4-dioxane as a probable human carcinogen. There is no federal or state drinking water standard or maximum contaminant level (MCL). The CDPH has established a Notification Level of 1 part per billion (1ppb) for 1,4-dioxane. The CDPH also recommends that drinking water sources with 1,4-dioxane in excess of 35 ppb be removed from service.

The City of Newport Beach's wells were tested for 1,4-dioxane. Concentrations found in our 4 wells

> ranged from non-detect to 7 ppb. All levels were well below the

### **Chloramines**

Newport Beach imports water from MWD which produces water that is treated with chloramines, a combination of chlorine and ammonia, as its drinking water disinfectant. Chloramines are effective killers of bacteria and other microorganisms that may cause disease. Chloramines form fewer disinfection by-products and have no odor when used properly. People who use kidney dialysis machines may want to take special precautions and consult their physician for the appropriate type of water treatment. Customers who maintain fish ponds, tanks or aquaria should also make necessary adjustments in water quality treatment, as these disinfectants are toxic to fish. For further information or if you have any questions about chloramines please call (949) 718-3412.



### Source Water Assessments Imported (MWDSC) Water Assessment

Every five years, MWDSC is required by CDPH to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

MWDSC's most recent Watershed Sanitary Surveys were completed in December 2006 (Colorado River) and June 2007 (State Water Project). Both source waters are exposed to stormwater runoff, recreational activities, wastewater discharges, wildlife, fires, and other watershedrelated factors that could affect water quality.

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/ stormwater runoff, wildlife, agriculture, recreation, and wastewater.

A copy of the summary of either Watershed Sanitary Survey can be obtained by calling MWDSC at (213) 217-6850.

#### **Groundwater Assessment**

An assessment of the drinking water sources for City of Newport Beach Municipal Operations Department was completed in December 2002. The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: Dry cleaners, gas stations, and known contaminant plumes.

A copy of the complete assessment is available at Department of Public Health Office of Drinking Water, Santa Ana District, 28 Civic Center Plaza Room 325, Santa Ana, CA 92701. You may request a summary of the assessment by contacting the City of Newport Beach Municipal Operations Department at (949) 718-3412.

### Want Additional Information?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general. A good place to begin your own research is the City of Newport Beach website: www.newportbeachca.gov.

In addition to extensive information about your local water and the

support and services we offer, you'll find links for many other local, statewide, and national resources.

CDPH's response level of 35 ppb. OCWD tests our wells quarterly as part of our monitoring program. Levels have dropped significantly since 2007 and have not exceeded 10 ppb in the last 4 years. We believe this is a direct result of the good management practices by OCWD.

### 2010 Metropolitan Water District of Southern California Treated Surface Water

| Chemical                                     | MCL                              | PHG, or<br>(MCLG) | Average<br>Amount | Range of<br>Detections | MCL<br>Violation? | Typical Source<br>of Contaminant            |
|--|----------------------------------|-------------------|-------------------|------------------------|-------------------|---|
| Radiologicals – Tested in 200                | 8                                |                   |                   |                        |                   |   |
| Alpha Radiation (pCi/L)                      | 15                               | (0)               | 5.6               | 3.8 - 9.3              | No                | Erosion of Natural Deposits                 |
| Beta Radiation (pCi/L)                       | 50                               | (0)               | 4.3               | ND - 6.4               | No                | Decay of Man-made or Natural Deposits       |
| Uranium (pCi/l)                              | 20                               | 0.42              | 3.3               | 2.9 - 3.7              | No                | Erosion of Natural Deposits                 |
| Inorganic Chemicals – Tested                 | in 2010                          |                   |                   |                        |                   |   |
| Aluminum (ppm)                               | 1                                | 0.6               | 0.17              | 0.07 - 0.23            | No                | Treatment Process Residue, Natural Deposits |
| Arsenic (ppb)                                | 10                               | 0.004             | 2.3               | ND - 2.8               | No                | Erosion of Natural Deposits                 |
| Barium (ppm)                                 | 1                                | 2                 | 0.11              | ND - 0.12              | No                | Erosion of Natural Deposits                 |
| Fluoride (ppm) treatment-related             | Control Range 0.<br>Optimal Leve |                   | 0.8               | 0.4 - 1.0              | No                | Water Additive for Dental Health            |
| Secondary Standards* – Test                  | ed in 2010                       |                   |                   |                        |                   |   |
| Aluminum (ppb)                               | 200*                             | 600               | 170               | 66 - 230               | No                | Treatment Process Residue, Natural Deposits |
| Chloride (ppm)                               | 500*                             | n/a               | 93                | 83 – 93                | No                | Runoff or Leaching from Natural Deposits    |
| Color (color units)                          | 15*                              | n/a               | 1                 | 1 – 2                  | No                | Runoff or Leaching from Natural Deposits    |
| Odor (threshold odor number)                 | 3*                               | n/a               | 2                 | 2                      | No                | Naturally-occurring Organic Materials       |
| Specific Conductance (µmho/cm)               | 1,600*                           | n/a               | 970               | 460 - 1,000            | No                | Substances that Form Ions in Water          |
| Sulfate (ppm)                                | 500*                             | n/a               | 230               | 160 - 240              | No                | Runoff or Leaching from Natural Deposits    |
| Total Dissolved Solids (ppm)                 | 1,000*                           | n/a               | 590               | 470 - 610              | No                | Runoff or Leaching from Natural Deposits    |
| Turbidity (ntu)                              | 5*                               | n/a               | 0.04              | 0.03 - 0.16            | No                | Runoff or Leaching from Natural Deposits    |
| <b>Unregulated Chemicals – Tes</b>           | ted in 2010                      |                   |                   |                        |                   |   |
| Alkalinity, total as CaCO <sub>3</sub> (ppm) | Not Regulated                    | n/a               | 110               | 67 - 120               | n/a               | Runoff or Leaching from Natural Deposits    |
| Boron (ppb)                                  | Not Regulated                    | n/a               | 120               | 120 - 130              | n/a               | Runoff or Leaching from Natural Deposits    |
| Calcium (ppm)                                | Not Regulated                    | n/a               | 66                | 51 – 70                | n/a               | Runoff or Leaching from Natural Deposits    |
| Hardness, total as CaCO <sub>3</sub> (ppm)   | Not Regulated                    | n/a               | 270               | 92 - 300               | n/a               | Runoff or Leaching from Natural Deposits    |
| Hardness, total (grains/gal)                 | Not Regulated                    | n/a               | 16                | 5.4 – 18               | n/a               | Runoff or Leaching from Natural Deposits    |
| Magnesium (ppm)                              | Not Regulated                    | n/a               | 27                | 22 – 28                | n/a               | Runoff or Leaching from Natural Deposits    |
| pH (pH units)                                | Not Regulated                    | n/a               | 7.9               | 7.5 – 8.0              | n/a               | Hydrogen Ion Concentration                  |
| Potassium (ppm)                              | Not Regulated                    | n/a               | 4.7               | 3.9 - 4.8              | n/a               | Runoff or Leaching from Natural Deposits    |
| Sodium (ppm)                                 | Not Regulated                    | n/a               | 95                | 78 – 95                | n/a               | Runoff or Leaching from Natural Deposits    |
| Total Organic Carbon (ppm)                   | Not Regulated                    | TT                | 2.2               | 1.9 – 2.3              | n/a               | Various Natural and Man-made Sources        |
| Vanadium (ppb)                               | Not Regulated                    | n/a               | 3.0               | ND – 3.3               | n/a               | Runoff or Leaching from Natural Deposits    |

ppb = parts-per-billion; ppm = parts-per-million; ppt = parts-per-trillion; pCi/L = picoCuries per liter; ntu = nephelometric turbidity units; µmho/cm = micromhos per centimeter; ND = not detected; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Health Goal; n/a = not applicable; TT = treatment technique \* Contaminant is regulated by a secondary standard.

| Turbidity –<br>combined filter effluent    | Treatment<br>Technique | Turbidity<br>Measurements | TT<br>Violation? | Typical Source<br>of Contaminant |  |
|--|------------------------|---------------------------|------------------|----------------------------------|--|
| 1) Highest single turbidity measurement    | 0.3 NTU                | 0.08                      | No               | Soil Runoff                      |  |
| 2) Percentage of samples less than 0.3 NTU | 95%                    | 100%                      | No               | Soil Runoff                      |  |

Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms. Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique" (TT).

A treatment technique is a required process intended to reduce the level of contaminants in drinking water that are difficult and sometimes impossible to measure directly

This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.



City of Newport Beach Municipal Operations Department P.O. Box 1768 3300 Newport Boulevard Newport Beach, California 92658-8915 PRESORT STD U.S. Postage **P A I D** Santa Ana, CA Permit No. 1

CRRT SORT

### POSTAL CUSTOMER