Appendix C
South Coast Air Quality Management
District (SCAQMD) Air Quality Management Significance Thresholds



## South Coast Air Quality Management District 21865 Copley Drive, Diamond Bar, CA 91765-4182

(909) 396-2000 • www.aqmd.gov

## SCAQMD Air Quality Significance Thresholds

	Ma	ass Daily Thresholds <sup>a</sup>	
Pollutant		Construction b	Operation <sup>c</sup>
NOx	100 lbs/day		55 lbs/day
VOC	75 lbs/day		55 lbs/day
PM10	150 lbs/day		150 lbs/day
PM2.5	55 lbs/day		55 lbs/day
SOx	150 lbs/day		150 lbs/day
СО	550 lbs/day		550 lbs/day
Lead	3 lbs/day		3 lbs/day
Toxic Air C	ontam	inants (TACs) and Ode	or Thresholds
TACs (including carcinogens and non-carcinogens)		Maximum Incremental Cancer Risk ≥ 10 in 1 million  Cancer Burden > 0.5 excess cancer cases (in areas ≥ 1 in 1 million)  Hazard Index ≥ 1.0 (project increment)	
Odor		Project creates an odor nuisance pursuant to SCAQMD Rule 402	
Ambier	nt Air	Quality for Criteria Po	llutants <sup>d</sup>
NO2  1-hour average annual average		SCAQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards  0.18 ppm (state)  0.03 ppm (state)	
PM10 24-hour average annual average		10.4 μg/m³ (construction) <sup>e</sup> & 2.5 μg/m³ (operation) 1.0 μg/m³	
PM2.5 24-hour average		10.4 μg/m³ (construction) <sup>e</sup> & 2.5 μg/m³ (operation)	
Sulfate 24-hour average		1 μg/m³	
CO 1-hour average 8-hour average		SCAQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards 20 ppm (state)  9.0 ppm (state/federal)	

<sup>&</sup>lt;sup>a</sup> Source: SCAQMD CEQA Handbook (SCAQMD, 1993)

e Ambient air quality threshold based on SCAQMD Rule 403.

lbs/day = pounds per day

ppm = parts per million

μg/m³ = microgram per cubic meter

≥ greater than or equal to

b Construction thresholds apply to both the South Coast Air Basin and Coachella Valley (Salton Sea and Mojave Desert Air Basins).
c For Coachella Valley, the mass daily thresholds for operation are the same as the construction thresholds.

d Ambient air quality thresholds for criteria pollutants based on SCAQMD Rule 1303, Table A-2 unless otherwise stated.